SODIUM METABISULFITE (SMBS) Na,S,O,

PRODUCT SPECIFICATION

SODIUM METABISULFITE (FOOD GRADE) - E223 ANALYTICAL METHOD

Appearance: White or pale yellow clear, Visual

crystalline with and odor

of sulfur dioxide

Concentration (Na₂S₂O₅) : min. % 98 (m/m) Titrimetric : min. % 66.02 (m/m) Titrimetric SO₂ content Na₂SO₃ content : max. % 1,5 (m/m) Titrimetrik Na₂S₂O₃ content : max. % 0.02 (m/m) Turbidimetric Turbidimetric Na₂SO₄ content : max. % 2 (m/m) Kolorimetric Iron (Fe) content : max. 5 ppm

Heavy Metals

(Fe excluded, Pb content) : max. 10 ppm Kolorimetric Chloride (Cl) content : max. % 0.02 (m/m) Titrimetric

 Arsenic (As) content
 : max. 0.5 ppm
 AAS

 Lead (Pb) content
 : max. 0.5 ppm
 AAS

 Cadmium (Cd) content
 : max. 50 ppb
 AAS

 Selenium (Se) content
 : max. 0.5 ppm
 AAS

 Insolubility
 : Yok
 Gravimetric

 pH (10% solution)
 : 4-5,5
 pHmeter

 Mercury (Hg) content
 : max. 0.1 ppm
 AAS

PRODUCTION METHOD : Continue

RAW MATERIAL CONTENT : Sulfur, Sodium Carbonate, Sodium Hydroxide

PACKAGING

Delivered in 25 kg polyethylene bags, resistant to moisture and physical damage or in 900 - 1000 kg polypropylene big-bags with polyethylene liners.

APPLICATION FIELDS

- Anthichlore in bleaching in textile industry
- Antiseptic in production of cellulose esters
- Main raw material in production of sodium hydrosulfite, aromatic alcohols and aldehydes
- Preservative and disinfactant in food and baverage industries as a source of sulfur dioxide
- Antiseptic in fermantation process
- Color removing in paint and leather industries
- Disinfectant in cosmetic and canned industry
- Various applications in paper, fiber, rubber and adhesive industries

STORAGE AND HANDLING

It should be stored in a dry and closed area avoiding contact with air. In damp places due to the SO₂ decomposition it loses its activity. Air contact must be prevented. Do not use in covered unaerrated rooms.

Shelf Life: 2 years

WARRANTY

All above information is the best of our knowledge obtained during process and research. Every user of our product should verify the data under its own conditions.